

How do we teach Maths at Wybunbury Delves?

We use Power Maths as a basis of our maths lessons. This is an exciting class mastery approach, which has been recommended by the DfE, that works for every child based upon the concrete, pictorial and abstract approach.

Every lesson is divided into sections that involve plenty of discovery, sharing, collaboration, practice and reflection. Children are encouraged to solve problems each day through the concrete resources, pictorial representations and abstract thinking.

At the heart of this programme is the idea that all children can achieve and be successful mathematicians with the right growth mindset.

What does a Power Maths Lesson look like?

Power Up: Each lesson begins with a Power Up task. This is often something the children have been previously taught and encourages group or partner work. This involves lots of discussion to get children thinking mathematically.

Discover: This part of the lesson introduces the learning objective to the class. The children are presented with a problem they must try to solve using problem solving and reasoning.

Share: this is an opportunity to look at how the class have decided to tackle the Discover problem. As a class, we look at different methods that have been used before looking at the most efficient method. At this point, it is encouraged to have learning aids out. this might include place value counters or Base 10. This is so that children can understand the concept behind the teaching.

Power Maths © Pearson 2019

Copying permitted for purchasing institution only. This material is not copyright free. Pearson is not responsible for the quality, accuracy or fitness for purpose of the materials contained in the Word files once edited.

Think together: this part of the lesson allows children to practice the methods they have been shown during the Share part of the lesson. It follows a structure of I do, We do, You do. The teacher models the method before the children try the method with a partner and on their own.

Independent work: The main part fo the lesson consists of independent practice. The questions in the Power Maths workbook allow children the opportunity to work through problems related to learning objectives that become progressively harder.

Reflect: Each lesson ends with a reflection. This is an opportunity for children to explain what they have learnt during the lesson.

Power Maths calculation policy, UPPER KS2



KEY STAGE 2

In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.

Key language: decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number

Addition and subtraction: Children build on their column methods to add and subtract numbers with up to seven digits, and they adapt the methods to calculate efficiently and effectively with decimals, ensuring understanding of place value at every stage. Children compare and contrast methods, and they select mental methods or jottings where appropriate and where these are more likely to be efficient or accurate when compared with formal column methods. Bar models are used to represent the calculations required to solve problems and may indicate where efficient methods can be chosen.	Multiplication and division: Building on their understanding, children develop methods to multiply up to 4-digit numbers by single-digit and 2-digit numbers. Children develop column methods with an understanding of place value, and they continue to use the key skill of unitising to multiply and divide by 10, 100 and 1,000. Written division methods are introduced and adapted for division by single-digit and 2-digit numbers and are understood alongside the area model and place value. In Year 6, children develop a secure understanding of how division is related to fractions. Multiplication and division of decimals are also introduced and refined in Year 6.	Fractions: Children find fractions of amounts, multiply a fraction by a whole number and by another fraction, divide a fraction by a whole number, and add and subtract fractions with different denominators. Children become more confident working with improper fractions and mixed numbers and can calculate with them. Understanding of decimals with up to 3 decimal places is built through place value and as fractions, and children calculate with decimals in the context of measure as well as in pure arithmetic. Children develop an understanding of percentages in relation to hundredths, and they understand how to work with common percentages: 50%, 25%, 10% and 1%.
--	--	--



	Year 5			
	Concrete	Pictorial	Abstract	
Year 5 Addition				
Column addition with whole numbers	Use place value equipment to represent additions. Add a row of counters onto the place value grid to show 15,735 + 4,012.	Represent additions, using place value equipment on a place value grid alongside written methods. $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	Use column addition, including exchanges. TTh Th H T O 1 9 1 7 5 + 1 8 4 1 7 3 7 5 9 2 	
Representing additions		Bar models represent addition of two or more numbers in the context of problem solving. $\begin{array}{c c} \hline & & \\ \hline \hline & & \\ \hline \hline & & \\ \hline & & \\ \hline & & \\ \hline & & \\ \hline \hline & & \\ \hline \hline \\ \hline & & \\ \hline \hline \\ \hline & & \\ \hline \hline \\ \hline \hline $	Use approximation to check whether answers are reasonable. $\frac{TTh Th H T O}{2 3 4 0 5} \qquad \frac{TTh Th H T O}{2 3 4 0 5} + \frac{7 8 9 2}{2 0 2 9 7} + \frac{7 8 9 2}{3 1 2 9 7}$	
Adding tenths	Link measure with addition of decimals.	Use a bar model with a number line to add	Understand the link with adding fractions.	

	Two lengths of fencing are 0.6 m and 0.2 m. How long are they when added together? 0.6 m 0.2 m	tenths. 0.6 m $0.2 m0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m$ $0.1 m0.1 m$ $0.1 m$ 0	$\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$ 6 tenths + 2 tenths = 8 tenths 0·6 + 0·2 = 0·8
Adding decimals using column addition	Use place value equipment to represent additions. Show 0.23 + 0.45 using place value counters.	Use place value equipment on a place value grid to represent additions. Represent exchange where necessary. $\underbrace{\begin{array}{c} \hline 0 & \hline Tth & Hth \\ \hline 0 & \hline$	Add using a column method, ensuring that children understand the link with place value. $\frac{O \cdot \text{Tth Hth}}{0 \cdot 2 \cdot 3}$ + $\frac{0 \cdot 4 \cdot 5}{0 \cdot 6 \cdot 8}$ Include exchange where required, alongside an understanding of place value. $\frac{O \cdot \text{Tth Hth}}{0 \cdot 9 \cdot 2}$ + $\frac{0 \cdot 3 \cdot 3}{1 \cdot 2 \cdot 5}$ Include additions where the numbers of decimal places are different. 3.4 + 0.65 = ? $\frac{O \cdot \text{Tth Hth}}{3 \cdot 4 \cdot 0}$ + $\frac{0 \cdot 6 \cdot 5}{2}$
Year 5			

Power Maths © Pearson 2019



Subtraction			
Column subtraction with whole numbers	Use place value equipment to understand where exchanges are required. 2,250 – 1,070	Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required. $15,735 - 2,582 = 13,153$ $\begin{array}{rrrr} \hline Th & H & T & 0 \\ \hline 1 & 5 & 7 & 3 & 5 \\ \hline 2 & 5 & 8 & 2 \\ \hline 3 \\ \hline \end{array}$ Now subtract the l0s. Exchange I hundred for I0 tens. $\begin{array}{rrrr} \hline Th & Th & H & T & 0 \\ \hline 1 & 5 & 7' & 3 & 5 \\ \hline 2 & 5 & 8 & 2 \\ \hline 3 \\ \hline \end{array}$ Subtract the l0s. I,000s and I0,000s. $\begin{array}{rrrr} \hline Th & Th & H & T & 0 \\ \hline 1 & 5 & 7' & 3 & 5 \\ \hline 2 & 5 & 8 & 2 \\ \hline \end{array}$	Use column subtraction methods with exchange where required. $\frac{\text{TTh Th H T O}}{\frac{56}{9} \frac{12}{10} \frac{9}{9} \frac{7}{7}}$ $-\frac{1 8 5 3 4}{4 3 5 6 3}$ $62,097 - 18,534 = 43,563$
Checking strategies and representing subtractions		Bar models represent subtractions in problem contexts, including 'find the difference'. Athletics Stadium 75,450 Hockey Centre 42,300 Velodrome 15,735 ?	Children can explain the mistake made when the columns have not been ordered correctly. $\begin{array}{r} \hline Th Th H T 0 \\ \hline \hline 1 7 8 7 7 \\ + \frac{4}{5 7 9 9 7 7} \end{array} \qquad \begin{array}{r} \hline Correct method \\ \hline Th Th H T 0 \\ + \frac{4 0 1 2}{2 1 8 8 q} \end{array}$ Use approximation to check calculations. <i>I calculated 18,000 + 4,000 mentally to check my subtraction.</i>
Choosing efficient methods			To subtract two large numbers that are close, children find the difference by counting on.

			2,002 - 1,995 = ?
			+5 +2 1,995 2,000 2,002
			Use addition to check subtractions. I calculated 7,546 – 2,355 = 5,191. I will check using the inverse.
Subtracting decimals	Explore complements to a whole number by working in the context of length.	Use a place value grid to represent the stages of column subtraction, including exchanges where required. 5.74 - 2.25 = ?	Use column subtraction, with an understanding of place value, including subtracting numbers with different numbers of decimal places.
	I = 0 = m 1 - 0.49 = ?	$5 \cdot 74 - 2 \cdot 25 = ?$ $0 \cdot Tth Hth 6 \cdot 0 \cdot 7 \cdot 4 + 2 \cdot 2 \cdot 5 = 2 \cdot 2 \cdot 5 - 2 $	$3.921 - 3.75 = ?$ $\frac{0 \cdot \text{Tth } \text{Hth } \text{Thth}}{3 \cdot 9 \cdot 2 \cdot 1}$ $- \frac{3 \cdot 7 \cdot 5 \cdot 0}{\cdot}$
Year 5 Multiplication			



Understanding factors	Use cubes or counters to explore the meaning of 'square numbers'.	Use images to explore examples and non- examples of square numbers.	Understand the pattern of square numbers in the multiplication tables.
	25 is a square number because it is made from 5 rows of 5.	3388 I	Use a multiplication grid to circle each square number. Can children spot a pattern?
	Use cubes to explore cube numbers.	8 × 8 = 64	patterns
	8 is a cube number.	 8² = 64 12 is not a square number, because you cannot multiply a whole number by itself to make 12. 	
Multiplying by 10, 100 and 1,000	Use place value equipment to multiply by 10, 100 and 1,000 by unitising. $\frac{4 \times l = 4 \text{ ones} = 4}{4 \times l0 = 4 \text{ tens} = 40}$	Understand the effect of repeated multiplication by 10.	Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000.
	4 × 100 = 4 hundreds = 400		$17 \times 10 = 170$ $17 \times 100 = 17 \times 10 \times 10 = 1,700$ $17 \times 1,000 = 17 \times 10 \times 10 \times 10 = 17,000$
Multiplying by multiples of 10, 100 and 1,000	Use place value equipment to explore multiplying by unitising.	Use place value equipment to represent how to multiply by multiples of 10, 100 and 1,000.	Use known facts and unitising to multiply. $5 \times 4 = 20$ $5 \times 40 = 200$



	5 groups of 3 ones is 15 ones. 5 groups of 3 tens is 15 tens. So, I know that 5 groups of 3 thousands would be 15 thousands.		5 × 400 = 2,000 5 × 4,000 - 20,000 5,000 × 4 = 20,000
Multiplying up to 4-digit numbers by a single digit	Explore how to use partitioning to multiply efficiently. $8 \times 17 = ?$ $8 \times 10 = 80$ $8 \times 10 = 80$ $8 \times 10 = 136$ So, $8 \times 17 = 136$	Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 1,000s. H T O Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø	Use an area model and then add the parts. $100 60 3$ $5 100 \times 5 = 500 60 \times 5 = 300 3 \times 5 = 15$ Use a column multiplication, including any required exchanges. $1 3 6$ $\times 6$ $\frac{8 1 6}{2 3}$
Multiplying 2- digit numbers by 2-digit	Partition one number into 10s and 1s, then add the parts.	Use an area model and add the parts. $28 \times 15 = ?$	Use column multiplication, ensuring understanding of place value at each stage.



numbers	$23 \times 15 = ?$ $10 \times 15 = 150$ $H T O$ $1 5 0$ $H T O$ $1 5 0$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c} 3 \ 4 \\ \times \ 2 \ 7 \\ 2 \ 3 \ 2 \\ \end{array} \\ 3 \ 4 \\ \times \ 7 \\ \hline 3 \ 4 \\ \times \ 2 \ 7 \\ 2 \ 3 \ 8 \\ 34 \times 7 \end{array} $
	$3 \times 15 = 45$ There are 345 bottles of milk in total. $23 \times 15 = 345$		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Multiplying up to 4-digits by 2-digits		Use the area model then add the parts. 10 2 10 2 13 143 × 12 = 1,716 There are 1,716 boxes of cereal in total. 143 × 12 = 1,716 143 × 12 = 1,716	Use column multiplication, ensuring understanding of place value at each stage. $ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$

Power Maths © Pearson 2019



Multiplying decimals by 10, 100 and 1,000	Use place value equipment to explore and understand the exchange of 10 tenths, 10 hundredths or 10 thousandths.	Represent multiplication by 10 as exchange on a place value grid. $\overrightarrow{0.14 \times 10 = 1.4}$	$\begin{array}{c} \begin{array}{c} 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline 2 & 5 & 4 & 8 \\ \hline 2 & 5 & 4 & 8 \\ \hline \end{array} \\ \hline \end{array}$ Then multiply 1,274 by 30. $\begin{array}{c} 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 2 & 5 & 4 & 8 \\ \hline \end{array} \\ \hline \end{array} \\ \hline \end{array}$ Finally, find the total. $\begin{array}{c} 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline \hline \end{array} \\ \begin{array}{c} 3 & 8 & 2 & 1 & 274 \times 2 \\ \hline 3 & 8 & 2 & 1 & 274 \times 30 \\ \hline \hline \end{array} \\ \begin{array}{c} 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline \end{array} \\ \hline \bigg $ \\ \hline \bigg \\ \\ \hline \bigg \\ \hline \bigg \\ \\ \hline \bigg \\ \\ \bigg \\ \\ \bigg \\ \bigg \\ \\ \hline \bigg \\ \\ \bigg \\ \bigg \\ \\ \bigg \\ \\ \bigg \\ \bigg
Year 5 Division			
Understanding	Use equipment to explore the factors of a	Understand that prime numbers are	Understand how to recognise prime and



factors and prime numbers	given number.	numbers with exactly two factors.	composite numbers.
F	24 ÷ 3 = 8 24 ÷ 8 = 3 8 and 3 are factors of 24 because they divide 24 exactly. 24 ÷ 5 = 4 remainder 4. 5 is not a factor of 24 because there is a remainder.	$13 \div 1 = 13$ $13 \div 2 = 6 r 1$ $13 \div 4 = 4 r 1$ 1 and 13 are the only factors of 13. 13 is a prime number.	I know that 31 is a prime number because it can be divided by only 1 and itself without leaving a remainder. I know that 33 is not a prime number as it can be divided by 1, 3, 11 and 33. I know that 1 is not a prime number, as it has only 1 factor.
Understanding inverse operations and the link with multiplication, grouping and sharing	Use equipment to group and share and to explore the calculations that are present. <i>I have 28 counters.</i> <i>I made 7 groups of 4. There are 28 in total.</i> <i>I have 28 in total. I shared them equally into</i> <i>7 groups. There are 4 in each group.</i> <i>I have 28 in total. I made groups of 4. There</i> <i>are 7 equal groups.</i>	Represent multiplicative relationships and explore the families of division facts. 000000000000000000000000000000000000	Represent the different multiplicative relationships to solve problems requiring inverse operations. $12 \div 3 = \bigcirc$ $12 \div \bigcirc = 3$ $12 \div \odot = 3$ Understand missing number problems for division calculations and know how to solve them using inverse operations. $22 \div ? = 2$ $22 \div 2 = ?$ $? \div 2 = 22$ $? \div 22 = 2$
Dividing whole numbers by 10, 100 and 1,000	Use place value equipment to support unitising for division. <i>4,000 ÷ 1,000</i>	Use a bar model to support dividing by unitising. $380 \div 10 = 38$	Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000.

Power Maths © Pearson 2019



	$4,000 \times 1,000 = 4$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Th H T 0 3 2 0 0 $3,200 \div 100 = ?$ $3,200 \div 100 = 2$ $3,000 \div 100 = 30$ $3,200 \div 100 = 32$ So, the digits will move two places to the right.
Dividing by multiples of 10, 100 and 1,000	Use place value equipment to represent known facts and unitising. 15 ones put into groups of 3 ones. There are 5 groups. $15 \div 3 = 5$ 15 tens put into groups of 3 tens. There are 5 groups. $150 \div 30 = 5$	Represent related facts with place value equipment when dividing by unitising. 180 is 18 tens. 18 tens divided into groups of 3 tens. There are 6 groups. $180 \div 30 = 6$ 100 00 00 00 00 100 00 00 00 100 00 00 00 12 ones divided into groups of 4. There are	Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check. $3,000 \div 5 = 600$ $3,000 \div 500 = 6$ $5 \times 600 = 3,000$ $50 \times 60 = 3,000$ $500 \times 6 = 3,000$



		3 groups. 12 hundreds divided into groups of 4 hundreds. There are 3 groups. 1200 ÷ 400 = 3	
Dividing up to four digits by a single digit using short division	Explore grouping using place value equipment. 268 ÷ 2 = ? There is 1 group of 2 hundreds. There are 3 groups of 2 tens. There are 4 groups of 2 ones. 264 ÷ 2 = 134	Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting.	Use short division for up to 4-digit numbers divided by a single digit. 0 5 5 6 $7 3^3 8^3 9 42$ $3,892 \div 7 = 556$ Use multiplication to check. $556 \times 7 = ?$ $6 \times 7 = 42$ $50 \times 7 = 350$ $500 \times 7 = 3500$ 3,500 + 350 + 42 = 3,892



Dividing	Understand division by 10 using exchange.	How many groups of 6 go how and the second	
remainders	versions of a problem. 80 cakes divided into trays of 6. 30 cakes in total. They make 13 groups of 6, with 2 remaining.	remainders as the last remaining 1s.	divisions including remainders with a bar model. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Understanding	Understand remainders using concrete	4 q 2 T 0 First, lay out the problem. 4 q 2 T 0 into q tens? 2 groups of 4 tens with I ten left over. 4 q 12 T 0	In problem solving contexts, represent

1,000	2 ones are 20 tenths. 20 tenths divided by 10 is 2 tenths.	\circ TthHth \circ \circ TthHth \circ	$0 \cdot \text{Tth} + \text{Hth} + \text{Thth} \\ 0 \cdot 8 \cdot 5 \\ 0 \cdot 0 \cdot 85 \neq 10 = 0.085$ $0 \cdot \text{Tth} + \text{Hth} + \text{Thth} \\ 8 \cdot 5 \\ 0 \cdot 0 \rightarrow 8 \rightarrow 5$ $8 \cdot 5 \neq 100 = 0.085$
Understanding the relationship between fractions and division	Use sharing to explore the link between fractions and division. <i>1 whole shared between 3 people.</i> <i>Each person receives one-third.</i> <i>Solution</i>	Use a bar model and other fraction representations to show the link between fractions and division. $I \div 3 = \frac{1}{3}$	Use the link between division and fractions to calculate divisions. $5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$ $11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$
		Year 6	
	Concrete	Pictorial	Abstract

Year 6 Addition			
Comparing and selecting efficient methods	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.	Discuss similarities and differences between methods, and choose efficient methods based on the specific calculation. Compare written and mental methods alongside place value representations. +3,000 + 43,265 + 20 + 42 + 42 + 42 + 42 + 42 + 42 + 42	Use column addition where mental methods are not efficient. Recognise common errors with column addition. $32,145 + 4,302 = ?$ $\frac{\text{TTh Th } \text{H } \text{T } 0}{3 2 1 4 5} \qquad \frac{\text{TTh } \text{Th } \text{H } \text{T } 0}{3 2 1 4 5}$ $+ \frac{4 3 0 2}{7 5 1 6 5}$ $\frac{\text{TTh } \text{Th } \text{Th } \text{H } \text{T } 0}{7 5 1 6 5}$ $Which method has been completedaccurately?$ $What mistake has been made?$ Column methods are also used for decimal additions where mental methods are not efficient. $\frac{\text{H } \text{T } 0 \cdot \text{Tth } \text{Hth}}{1 4 0 \cdot 0 9}$ $+ \frac{4 9 \cdot 8 9}{1 8 9 \cdot 9 8}$
Selecting mental methods for larger numbers where	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.	Use a bar model to support thinking in addition problems. 257,000 + 99,000 = ?	Use place value and unitising to support mental calculations with larger numbers. 195,000 + 6,000 = ?



appropriate	2,411,301 + 500,000 = ? This would be 5 more counters in the HTh place. So, the total is 2,911,301. 2,411,301 + 500,000 = 2,911,301	$\begin{array}{c c} & & & \\ \hline f 257,000 & f 100,000 \\ \hline \\ I \ added \ 100 \ thousands \ then \ subtracted \\ 1 \ thousand. \\ 257 \ thousands \ + \ 100 \ thousands \ = \ 357 \\ thousands \\ 257,000 \ + \ 100,000 \ = \ 357,000 \\ 357,000 \ - \ 1,000 \ = \ 356,000 \\ \hline \\ So, \ 257,000 \ + \ 99,000 \ = \ 356,000 \\ \end{array}$	195 + 5 + 1 = 201 195 thousands + 6 thousands = 201 thousands So, 195,000 + 6,000 = 201,000
Understanding order of operations in calculations	Use equipment to model different interpretations of a calculation with more than one operation. Explore different results. $3 \times 5 - 2 = ?$	Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations. 16×4 trailer $6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6$	Understand the correct order of operations in calculations without brackets. Understand how brackets affect the order of operations in a calculation. $4 + 6 \times 16$ 4 + 96 = 100 $(4 + 6) \times 16$ $10 \times 16 = 160$
Subtraction			
Comparing	Use counters on a place value grid to	Compare subtraction methods alongside	Compare and select methods.


and selecting efficient methods	represent subtractions of larger numbers.	place value representations. $\begin{array}{c} \hline & & & & \\ \hline & & & & \\ \hline & & & & \\ \hline & & & &$	Use column subtraction when mental methods are not efficient. Use two different methods for one calculation as a checking strategy. $\frac{\frac{Th}{I} + \frac{T}{9} + \frac{T}{9} - \frac{0}{1}}{\frac{1}{5} + \frac{5}{5} + \frac{8}{3} - \frac{400}{4}}$ $\frac{\frac{1}{1,552} + \frac{6}{1,552} - \frac{-400}{1,552} + \frac{6}{1,552} - \frac{-400}{1,552}$ Use column subtraction for decimal problems, including in the context of measure. $\frac{H}{3} + \frac{T}{9} + \frac{0}{6} + \frac{1}{9} +$
Subtracting mentally with larger numbers		Use a bar model to show how unitising can support mental calculations. 950,000 - 150,000 That is 950 thousands - 150 thousands 950,000 - 150,000 So, the difference is 800 thousands. 950,000 - 150,000 = 800,000	Subtract efficiently from powers of 10. 10,000 - 500 = ?
Year 6 Multiplication			

Power Maths © Pearson 2019



Multiplying up to a 4-digit number by a single digit number	Use equipment to explore multiplications. $\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Use place value equipment to compare methods. Method I 3 2 2 5 3 2 2 5 3 2 2 5 3 2 2 5 3 2 2 5 1 2 9 0 0 1 1 2 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Understand area model and short multiplication. Compare and select appropriate methods for specific multiplications. Method 3 $\frac{3,000 \ 200 \ 20 \ 5}{4 \ 12,000 \ 800 \ 80 \ 20}$ 12,000 + 800 + 80 + 20 = 12,900 Method 4 $\frac{3 \ 2 \ 2 \ 5}{x \ 4 \ 1 \ 2 \ 9 \ 0 \ 0}$
Multiplying up to a 4-digit number by a 2-digit number		Use an area model alongside written multiplication. Method I 1,000 200 30 5 20 20,000 4,000 600 100 1 1,000 200 30 5 $\times 2 1$ $5 1 \times 5$ $3 0 1 \times 30$ $2 0 0 1 \times 1,000$ $1 0 0 20 \times 5$ $6 0 0 20 \times 30$ $4 0 0 20 \times 200$ $2 5 9 3 5 21 \times 1,235$	Use compact column multiplication with understanding of place value at all stages. $ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
Using knowledge of	Use equipment to understand square numbers and cube numbers.	Compare methods visually using an area model. Understand that multiple	Use a known fact to generate families of related facts.






Power Maths © Pearson 2019

Copying permitted for purchasing institution only. This material is not copyright free. Pearson is not responsible for

the quality, accuracy or fitness for purpose of the materials contained in the Word files once edited.







Understanding factors	Use equipment to explore different factors of a number. 24 ÷ 4 = 6 4 is a factor of 24 but is not a factor of 30.	Recognise prime numbers as numbers having exactly two factors. Understand the link with division and remainders.	Recognise and know primes up to 100. Understand that 2 is the only even prime, and that 1 is not a prime number.
Dividing by a single digit	Use equipment to make groups from a total. There are 78 in total. There are 6 groups of 13. There are 13 groups of 6.	H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O H T O <th>Use short division to divide by a single digit. $\begin{array}{c} 0 \\ 6 \\ 1 \\ 1 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 6 \\ 1 \\ 1 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 6 \\ 1 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 1 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 1 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 1 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 2 \\ 1 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \\ 3 \\ 2 \end{array}$ $\begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \\ 3 \\ 2 \\ 2 \\ 2 \\ 3 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2$</th>	Use short division to divide by a single digit. $ \begin{array}{c} 0 \\ 6 \\ 1 \\ 1 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 6 \\ 1 \\ 1 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 6 \\ 1 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 1 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 1 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 1 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 2 \\ 1 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \\ 3 \\ 2 \end{array} $ $ \begin{array}{c} 0 \\ 2 \\ 3 \\ 2 \\ 3 \\ 2 \\ 2 \\ 2 \\ 3 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2$
Dividing by a 2-digit number	Understand that division by factors can be used when dividing by a number that is not	Use factors and repeated division.	Use factors and repeated division where appropriate.



using factors	prime.	1,260 ÷ 14 = ?	
		$ \begin{array}{c c} 1,260 \\ \hline 1,260 \\ \hline 2 \\ \hline 630 \\ \hline 7 \\ \hline 90 \\ \hline 1,260 \\ \hline 14 \\ \hline 90 \end{array} $	$2,100 \div 12 = ?$ $2,100 \rightarrow \underbrace{+2}_{6} \rightarrow \underbrace{+6}_{2,100} \rightarrow \underbrace{+6}_{6} \rightarrow \underbrace{+2}_{2} \rightarrow \underbrace{+6}_{2,100} \rightarrow \underbrace{+3}_{6} \rightarrow \underbrace{+2}_{6} \rightarrow \underbrace{+2}_{7} \rightarrow \underbrace{+2}_{2,100} \rightarrow \underbrace{+3}_{6} \rightarrow \underbrace{+2}_{6} \rightarrow \underbrace{+2}_{7} \rightarrow +$
Dividing by a 2-digit number using long division	Use equipment to build numbers from groups. 182 divided into groups of 13. There are 14 groups.	Use an area model alongside written division to model the process. $377 \div 13 = ?$	Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process. $377 \div 13 = ?$ 1 + + + + + + + + + + + + + + + + + + +

Power Maths © Pearson 2019



			3 $21 \overline{7 \ 9 \ 8}$ $- \frac{6 \ 3 \ 0}{1 \ 6 \ 8}$ $21 \overline{7 \ 9 \ 8}$ $- \frac{6 \ 3 \ 0}{1 \ 6 \ 8}$ $- \frac{6 \ 3 \ 0}{1 \ 6 \ 8}$ $- \frac{1 \ 6 \ 8}{0}$ Divisions with a remainder explored in problem-solving contexts.
Dividing by 10, 100 and 1,000	Use place value equipment to explore division as exchange. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Represent division to show the relationship with multiplication. Understand the effect of dividing by 10, 100 and 1,000 on the digits on a place value grid. $\begin{array}{c} 12\\ \hline 12\\ $	Use knowledge of factors to divide by multiples of 10, 100 and 1,000. $40 \div 50 = 10$ $40 \rightarrow \div 10 \rightarrow \div 5 \rightarrow ?$ $40 \rightarrow \div 5 \rightarrow \div 10 \rightarrow ?$ $40 \div 5 = 8$ $8 \div 10 = 0.8$ So, $40 \div 50 = 0.8$
Dividing decimals	Use place value equipment to explore division of decimals.	Use a bar model to represent divisions.	Use short division to divide decimals with up to 2 decimal places.



8 tenths divided into 4 groups. 2 tenths in each group.	So, $4 \times 0.2 = 0.8$ $0.8 \div 4 = 0.2$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
---	---	--